

KANN

PRODUCT LIST

KANN

PRECISION MEASURING INSTRUMENTS CO.



KANN

PRODUCT LIST

STANDARD DIAL GAUGES (57mm BEZEL DIA.)

MODEL	GRADUATION	RANGE	READING	
M2	0.01mm	10 mm	0 - 100	
M3	0.01mm	10 mm	0 - 50 - 0	Balanced Marking
M2/R	0.01mm	10 mm	100-0	Reverse Marking
M9	0.01mm	5 mm	0-100	
M9/R	0.01mm	5mm	100 - 0	Reverse Marking
M2/25	0.01mm	25 mm	0 - 100	
M2/30	0.01mm	30 mm	0 - 100	Small pointer 10mm/Rev
M2/25A	0.01mm	25 mm	0 - 100	Small pointer 10mm/Rev
M10A	0.1mm	10 mm	0 - 10	
M10C	0.1mm	30 mm	0 - 10	
M10D	0.1mm	30 mm	0 - 10	
M2/10	0.001mm	1 mm	0 - 100 - 0	Balanced Marking
M2/5/1	0.002mm	5 mm	0 - 20	
M8	0.005mm	5 mm	0 - 100	
Z2	0.001"	0.4"	0 - 100	
Z3	0.001"	0.4"	0 - 50 - 0	Balanced Marking
Z2/25	0.001"	1"	0 - 100	
M5	0.02mm	10 mm	0 - 100	

STANDARD DIAL GAUGES (80mm BEZEL DIA.)

MODEL	GRADUATION	RANGE	READING	
M6	0.01mm	10 mm	0 - 100	
M6/25	0.01mm	25 mm	0 - 100	
M6/30	0.01mm	30 mm	0 - 100	Small pointer 10mm/Rev
M6/25/A	0.01mm	25 mm	0 - 100	Small pointer 10mm/Rev
M6/10	0.001mm	1mm	0-100-0	Balanced Marking

LONG RANGE DIAL GAUGES

MODEL	GRADUATION	RANGE	READING	BEZEL DIA.
M2/50	0.01mm	50 mm	0 - 100	57 mm
M6/50	0.01mm	50 mm	0 - 100	80 mm

1 REVOLUTION DIAL GAUGES


MODEL	GRADUATION	RANGE	READING	BEZEL DIA.	FREE STROKE
M2/1	0.01mm	0.8 mm	40-0-40	57 mm	7 mm
M2/2	0.02mm	1.6 mm	80-0-80	57 mm	7 mm
M2/14	0.001mm	0.16 mm	80-0-80	57 mm	2 mm
M2/16	0.001mm	0.10 mm	50-0-50	57 mm	2 mm
M2/12	0.001mm	0.16 mm	80-0-80	80 mm	2 mm
M2/15	0.001mm	0.10 mm	50-0-50	80 mm	2 mm

DIAL GAUGE for AIR GAUGE UNIT

MODEL	GRADUATION	RANGE	READING	BEZEL DIA.
M1	0.01mm	1 mm	40-0-40	105 mm

DIGITAL DIAL GAUGES

MODEL	GRADUATION	RANGE
EM2	0.01mm/0.001"	12.5mm/0.5"
EM2/10	0.001mm/0.0001"	12.5mm/0.5"
EM2/25	0.01mm/0.001"	12.5mm/0.5"





KANN

PRODUCT LIST

DIAL GAUGES for HARDNESS TESTING MACHINES



AS - 80



A - 80



MODEL	GRADUATION	BEZEL DIA.
A - 80	Rockwell B & C Scale.	80 mm
AS - 80	Rockwell cum Superficial scale.	80 mm
AH - 80	Brinell Scale.	80 mm
A - 92	Rockwell B & C Scale.	92 mm
AS - 92	Rockwell cum Superficial scale.	92 mm
RASN	Rockwell B & C Scale.	95 mm
RASN-T	Rockwell cum Superficial scale.	95 mm
" O "	Optical machine	57 mm

DIAL THICKNESS GAUGES



TG1



TG4

MODEL	GRADUATION	RANGE	READING	ANVIL DIA.
TG1	0.01mm	10 mm	0 - 100	10mm /CERAMIC
TG1/20	0.01mm	10 mm	0 - 100	20mm /METAL
TG2	0.001mm	1 mm	0 - 200	10mm /CERAMIC
TG3	0.1mm	10 mm	0 - 10	10mm /CERAMIC
TG4	0.01mm	10 mm	0 - 100	10mm /CERAMIC
TG5/10	0.1mm	25 mm	0 - 10	10mm /METAL
TG5/20	0.1mm	25 mm	0 - 10	20mm /METAL
TG9	0.01mm	25 mm	0 - 100	10mm /CERAMIC
TG9/20	0.01mm	25 mm	0 - 100	20mm /METAL
TG7	0.1mm	30 mm	0 - 10	10mm /CERAMIC
TG7/20	0.1mm	30 mm	0 - 10	20mm /METAL
TG8	0.01mm	30 mm	0 - 100	10mm /CERAMIC
TG8/20	0.01mm	30 mm	0 - 100	20mm /METAL

THROAT DEPTH 150 mm / 6"

MODEL	GRADUATION	RANGE	READING	ANVIL DIA.
TG16	0.1mm	10 mm	0 - 10	10mm /CERAMIC
TG17	0.01mm	10 mm	0 - 100	10mm /CERAMIC
TG34	0.01mm	25 mm	0 - 100	10mm /CERAMIC
TG18	0.1mm	30 mm	0 - 10	10mm /CERAMIC
TG19	0.01mm	30 mm	0 - 100	10mm /CERAMIC
TG16/20	0.1mm	10 mm	0 - 10	20mm /METAL
TG17/20	0.01mm	10 mm	0 - 100	20mm /METAL
TG34/20	0.01mm	25 mm	0 - 100	20mm /METAL
TG18/20	0.1mm	30 mm	0 - 10	20mm /METAL
TG19/20	0.01mm	30 mm	0 - 100	20mm /METAL
TG33	0.001mm	1 mm	0 - 100 - 0	10mm /CERAMIC

PEARL GAUGE

(Back side of ANVIL & CONTACT POINT GROUND FLAT.)

MODEL	GRADUATION	RANGE	READING	ANVIL DIA.
TG10	0.1mm	10 mm	0 - 10	10mm /METAL
TG20	0.1mm	20 mm	0 - 10	10mm /METAL



TG5/20




TG20



KANN

PRODUCT LIST



TG12

DIAL THICKNESS GAUGE (ANALOGUE)

THROAT DEPTH 300 mm / 12"

MODEL	GRADUATION	RANGE	READING	ANVIL DIA.
TG11	0.1mm	10 mm	0 - 10	10mm / CERAMIC
TG12	0.01mm	10 mm	0 - 100	10mm / CERAMIC
TG15	0.01mm	25 mm	0 - 100	10mm / CERAMIC
TG13	0.1mm	30 mm	0 - 10	10mm / CERAMIC
TG14	0.01mm	30 mm	0 - 100	10mm / CERAMIC
TG11/20	0.1mm	10 mm	0 - 10	20mm / METAL
TG12/20	0.01mm	10 mm	0 - 100	20mm / METAL
TG15/20	0.01mm	25 mm	0 - 100	20mm / METAL
TG13/20	0.1mm	30 mm	0 - 10	20mm / METAL
TG14/20	0.01mm	30 mm	0 - 100	20mm / METAL




TG22

DIAL THICKNESS GAUGE (ANALOGUE)

THROAT DEPTH 450 mm / 18"

MODEL	GRADUATION	RANGE	READING	ANVIL DIA.
TG21	0.1mm	10 mm	0 - 10	10mm / CERAMIC
TG22	0.01mm	10 mm	0 - 100	10mm / CERAMIC
TG35	0.01mm	25 mm	0 - 100	10mm / CERAMIC
TG23	0.1mm	30 mm	0 - 10	10mm / CERAMIC
TG24	0.01mm	30 mm	0 - 100	10mm / CERAMIC
TG27	0.01mm	50 mm	0 - 100	10mm / CERAMIC
TG21/20	0.1mm	10 mm	0 - 10	20mm / METAL
TG22/20	0.01mm	10 mm	0 - 100	20mm / METAL
TG35/20	0.01mm	25 mm	0 - 100	20mm / METAL
TG23/20	0.1mm	30 mm	0 - 10	20mm / METAL
TG24/20	0.01mm	30 mm	0 - 100	20mm / METAL
TG27/20	0.01mm	50 mm	0 - 100	20mm / METAL




TG30/20

DIAL THICKNESS GAUGE (ANALOGUE)

THROAT DEPTH 600 mm / 24"

MODEL	GRADUATION	RANGE	READING	ANVIL DIA.
TG28	0.1mm	10 mm	0 - 10	10mm / CERAMIC
TG29	0.01mm	10 mm	0 - 100	10mm / CERAMIC
TG36	0.01mm	25 mm	0 - 100	10mm / CERAMIC
TG30	0.1mm	30 mm	0 - 10	10mm / CERAMIC
TG31	0.01mm	30 mm	0 - 100	10mm / CERAMIC
TG32	0.01mm	50 mm	0 - 100	10mm / CERAMIC
TG28/20	0.1mm	10 mm	0 - 10	20mm / METAL
TG29/20	0.01mm	10 mm	0 - 100	20mm / METAL
TG36/20	0.01mm	25 mm	0 - 100	20mm / METAL
TG30/20	0.1mm	30 mm	0 - 10	20mm / METAL
TG31/20	0.01mm	30 mm	0 - 100	20mm / METAL
TG32/20	0.01mm	50 mm	0 - 100	20mm / METAL



ETG6

TG6

TG6/A

PIPE THICKNESS GAUGE.

MODEL	GRADUATION	RANGE	READING
TG6	0.01mm	10 mm	0 - 100
ETG6	0.01mm	12.5 mm/0.5"	DIGITAL MODEL
TG6/A	0.1mm	10 mm	0 - 10



PRODUCT LIST

DIGITAL DIAL THICKNESS GAUGES



ETG1 _____

MODEL	GRADUATION	RANGE	ANVIL DIA.
ETG1	0.01mm/ 0.001"	12.5 mm/0.5"	10mm /CERAMIC
ETG2	0.001mm/0.0001"	12.5 mm/0.5"	10mm /CERAMIC
ETG9	0.01mm/ 0.001"	25 mm/1"	10mm /CERAMIC
ETG1/20	0.01mm/ 0.001"	12.5 mm/0.5"	10mm /METAL
ETG9/20	0.01mm/ 0.001"	25 mm/1"	20mm /METAL

THROAT DEPTH 150 mm / 6"

MODEL	GRADUATION	RANGE	ANVIL DIA.
ETG17	0.01mm/ 0.001"	12.5 mm/0.5"	10mm /CERAMIC
ETG34	0.01mm/ 0.001"	25 mm/1"	10mm /CERAMIC
ETG17/20	0.01mm/ 0.001"	12.5 mm/0.5"	20mm /METAL
ETG34/20	0.01mm/ 0.001"	25 mm/1"	20mm /METAL
ETG33	0.001mm/0.0001"	12.5 mm/0.5"	10mm /CERAMIC

THROAT DEPTH 300 mm / 12"

MODEL	GRADUATION	RANGE	ANVIL DIA.
ETG12	0.01mm/ 0.001"	12.5 mm/0.5"	10mm /CERAMIC
ETG15	0.01mm/ 0.001"	25 mm/1"	10mm /CERAMIC
ETG12/20	0.01mm/ 0.001"	12.5 mm/0.5"	20mm /METAL
ETG15/20	0.01mm/ 0.001"	25 mm/1"	20mm /METAL

THROAT DEPTH 450 mm / 18"

MODEL	GRADUATION	RANGE	ANVIL DIA.
ETG22	0.01mm/ 0.001"	12.5 mm/0.5"	10mm /CERAMIC
ETG35	0.01mm/ 0.001"	25 mm/1"	10mm /CERAMIC
ETG27	0.01mm/ 0.001"	50 mm/ 2"	10mm /CERAMIC
ETG22/20	0.01mm/ 0.001"	12.5 mm/0.5"	20mm /METAL
ETG35/20	0.01mm/ 0.001"	25 mm/1"	20mm /METAL
ETG27/20	0.01mm/ 0.001"	50 mm/ 2"	20mm /METAL

THROAT DEPTH 600 mm / 24"

MODEL	GRADUATION	RANGE	ANVIL DIA.
ETG29	0.01mm/ 0.001"	12.5 mm/0.5"	10mm /CERAMIC
ETG36	0.01mm/ 0.001"	25 mm/1"	10mm /CERAMIC
ETG32	0.01mm/ 0.001"	50 mm/ 2"	10mm /CERAMIC
ETG29/20	0.01mm/ 0.001"	12.5 mm/0.5"	20mm /METAL
ETG36/20	0.01mm/ 0.001"	25 mm/1"	20mm /METAL
ETG32/20	0.01mm/ 0.001"	50 mm/ 2"	20mm /METAL



KANN

PRODUCT LIST


RUBBER HARDNESS TESTER (DUROMETER)

Supplied in wooden box with TEST BLOCK and TEST CERTIFICATE.

MODEL	GRADUATION	RANGE
SHORE A	1 SHORE	0 - 100 SHORE
SHORE D	1 SHORE	0 - 100 SHORE



DUROMETER SHORE A



SPG01

SURFACE PROFILE GAUGE

Supplied in wooden box with glass piece for zero setting.

MODEL	GRADUATION	RANGE	READING	
SPG01	0.001mm	+/- 0.50 mm	+/- 100	ANALOGUE MODEL
SPG02	0.001mm	-1.00 mm	0 - 200	ANALOGUE MODEL
ESPG01	0.001mm/0.0001"	+/- 0.50 mm	+/- 500	DIGITAL MODEL

HOLE DEPTH GAUGE

MODEL	GRADUATION	RANGE	READING
HDG1	0.01mm	10 mm	0 - 100
EHDG1	0.01mm	12.5 mm/0.5"	DIGITAL MODEL
HDG2	0.1mm	10 mm	0 - 10



HDG1



TG26

CONSTANT PRESSURE THICKNESS GAUGE

MODEL	GRADUATION	RANGE	READING
CPTG1	0.01mm	10 mm	0 - 100
CPTG2	0.001mm	1 mm	0 - 100 - 0
ECPTG1	0.01mm	12.5 mm/0.5"	DIGITAL MODEL
ECPTG2	0.001mm	12.5 mm/0.5"	DIGITAL MODEL

DIAL THICKNESS GAUGE (ANALOGUE)

Dial gauge & Frame included in 1 body for better rigidity & life.(similar to WOLF).

MODEL	GRADUATION	RANGE	READING	ANVIL DIA.
TG25	0.1mm	25 mm	0 - 10	10mm /METAL
TG50	0.1mm	50 mm	0 - 10	10mm /METAL
TG26	0.1mm	25 mm	0 - 10	10mm /METAL
TG25/20	0.1mm	25 mm	0 - 10	10mm /METAL
TG50/20	0.1mm	50 mm	0 - 10	20mm /METAL
TG26/20	0.1mm	25 mm	0 - 10	10mm /METAL

PUSH DOWN

PUSH DOWN



TG25




KANN

PRODUCT LIST


SPARES & ACCESORIES.

PART NAME
CONTACT POINT CP1/CP2/CP3/ CP4
CONTACT POINT CP6/CP7
CONTACT POINT CP 8 DIA. 10 mm
CONTACT POINT CP 8 DIA. 6 mm
CONTACT POINT CP 8 DIA. 20 mm

PART NAME
RACK EXTENSION 10 - 30 mm
RACK EXTENSION 40 - 50 mm
RACK EXTENSION 60 - 80 mm
RACK EXTENSION 90 - 100 mm




PART NAME
LIFTING LEVER for DIAL GAUGE 10mm
LIFTING LEVER for DIAL GAUGE 25mm
HARDENED STEEL BALL ANVIL
CARBIDE BALL ANVIL
FLAT BACK COVER



RACK EXTENSIONS.

Available from 10mm - 50mm in steps of 5mm
60mm - 100mm in steps of 10mm.

A = 6mm
10 mm
20mm



B = 6mm
10 mm
20mm

Examples of modifications to contact points & anvils of THICKNESS GAUGES.

We Make Specific Alterations (Colour, Logo etc.) to our Standard Products as per Customer Demand subject to MOQ.

We can also Design & Manufacture Measuring Instruments According to your Drawings or Requirement.

KANN PRECISION MEASURING INSTRUMENTS Co.
A-3, NERGISH NIWAS, OPP. IDBI BANK,
IRANI ROAD, DAHANU - 401602.
DIST. PALGHAR, MAHARASHTRA, INDIA.

Email: kanngauges@gmail.com
Phone: +91 9850733755 / +91 9665124321.
Skype: KANNGAUGES
Whatsapp: +91 9850733755.